CLAIMS:

- 1. A conductor material for LEDs for improving the light outcoupling, wherein
- the conductor material is selected from the group comprising hole conductor material, electron conductor material and/or emitter material,
- the conductor material comprises at least one conductive fluorinated organic substance having at least one fluorinated alkyl substituent, one fluorinated alkenyl substituent and/or one fluorinated alkynyl substituent, wherein at least two fluorine atoms are bonded to at least one carbon atom of the fluorinated substituent, and
- the conductive fluorinated organic substance has a refractive index of ≥ 1.30 and ≤ 1.55 .

10

5

- 2. A conductor material as claimed in claim 1, wherein the fluorinated substituent is a linear or branched alkyl, alkenyl and/or alkynyl substituent.
- 3. A conductor material as claimed in claim 1 or 2, wherein C_mF_{m+X} applies in respect of at least one fluorinated substituent, in which

m = 1 to 20, preferably m = 2 to 16, more preferably m = 4 to 12; and X = 1 to m+1, with m being an integer.

- A conductor material as claimed in any of claims 1 to 3, wherein the
 conductive fluorinated organic substance is a monomer, oligomer or polymer, the conductive fluorinated substance preferably comprising conjugated double and/or triple bonds and preferably having a molecular weight of ≥ 100 and ≤ 300,000.
- 5. A conductor material as claimed in any of claims 1 to 4, wherein the
 conductive fluorinated organic substance is selected from the group comprising aryl
 compounds, perfluorinated adamantane, triphenylamine compounds, carbazole compounds,
 oxadiazole compounds, triazole compounds, triazine compounds, fluorene compounds,
 hexaphenylbenzene compounds, phenanthroline compounds, pyridine compounds,
 polyfluorene with perfluorinated side chains, conjugated polymers, poly-para-phenylene

WO 2005/004251


PCT/IB2004/050999

vinylene (PPV), polyvinylcarbazole, metal complexes, in particular metal complexes comprising Al, Ga and/or Zn as metal ion, quinoline compounds, acetylacetonate compounds, bipyridine compounds, phenathroline compounds and/or metal complexes comprising carboxylic acids as ligand.

5

10

- 6. A conductor material as claimed in any of claims 1 to 5, wherein the conductive fluorinated organic substance preferably has a refractive index of ≤ 1.50 , more preferably a refractive index of ≤ 1.45 , even more preferably a refractive index of ≤ 1.40 , particularly preferably a refractive index of ≤ 1.39 and most preferably a refractive index of ≤ 1.37 .
- 7. A conductor material as claimed in any of claims 1 to 6, wherein the conductive fluorinated organic substance is selected from the group comprising at least one compound having one of the following structural formulae I to XX:



Formula I

$$R_1$$
 R_5
 R_2
 R_3

Formula II

$$R_1$$
 R_2
 R_3
 R_4
 R_5

Formula III

$$R_2$$
 R_3
 R_1
 R_3
 R_4
 R_5
 R_5
 R_6
 R_7
 R_8

Formula IV

$$R_1$$
 R_2
 R_4
 R_5
 R_4

Formula V

Formula VI

$$R_{7}$$
 R_{7}
 R_{8}
 R_{8}

Formula VII

$$R_1$$
 R_2
 R_3

Formula VIII

$$R_1$$
 R_2
 R_3
 R_4
 R_5
 R_8

Formula IX

$$R_6$$
 R_2
 R_3
 R_5

Formula X

Formula XI

$$R_2$$
 R_3
 R_4

Formula XII

$$H_3C$$
 R_1
 R_2
 R_3

Formula XIII

$$R_1$$
 R_2
 R_3
 R_4
 R_6

Formula XIV

10

Formula XV

$$R_1$$
 R_2 R_3 R_4

Formula XVI

Formula XVII

Formula XVIII

10

15

$$R_1$$
 R_2
 R_3

Formula XIX

$$H$$
 R_1
 R_2
 H

Formula XX

in which R₁, R₂, R₃, R₄, R₅, R₆, R₇, R₈ and R₉ are at least partially identical or different and are selected from the group comprising hydrogen, hydroxyl, alkyl, alkenyl, alkynyl, alkoxy, aryl, alkylene, arylene, amines, halogen, carboxylate derivatives, cycloalkyl, carbonyl derivatives, heterocycloalkyl, heteroaryl, heteroarylene, sulfonate, sulfate, phosphonate, phosphate, phosphine and/or phosphine oxide, wherein at least one R₁, R₂, R₃, R₄, R₅, R₆, R₇, R₈ and/or R₉ represents a fluorinated alkyl substituent, a fluorinated alkenyl substituent and/or a fluorinated alkynyl substituent in which at least two fluorine atoms are bonded to at least one carbon atom; and

in which n = 1 to 10,000,000, preferably 10 to 1,000,000, more preferably 100 to 500,000, even more preferably 500 to 250,000, particularly preferably 1000 to 100,000 and most preferably 5000 to 50,000.

8. A conductor material as claimed in any of claims 1 to 7, wherein the
conductive fluorinated organic substance is selected from the group comprising at least one
compound having one of the following structural formulae XXI to XXVI:

Formula XXI

Formula XXII

Formula XXIII

Formula XXIV

WO 2005/004251 PCT/IB2004/050999

Formula XXV

Formula XXVI

in which n=1 to 10,000,000, preferably 10 to 1,000,000, more preferably 100 to 500,000, even more preferably 500 to 250,000, particularly preferably 1000 to 100,000 and most preferably 5000 to 50,000.

10

- 9. A diode, in particular an organic light-emitting diode (OLED) or polymer light-emitting diode (polyLED), comprising one or more layers having a refractive index of $\geq X$ and ≤ 1.5 and/or one or more layers which comprise at least one conductive fluorinated organic substance as claimed in any of the preceding claims 1 to 8.
- 15
- 10. A luminous means comprising at least one diode, in particular an OLED and/or polyLED as claimed in claim 9.